

Technical Data Sheet  
■ VaporCoat<sup>®</sup> 2200

---

**USAGE** VaporCoat<sup>®</sup> 2200 is an FDA-compliant, recyclable water based coating for chipboard, SBS, SUS and kraft paper. It can often replace polyethylene packaging films used in many types of food and non-food packaging, including multiwall bags.

.....  
**DESCRIPTION** Low odor, low MVTR, water and grease resistant coating

.....

<b>PHYSICAL PROPERTIES</b>	Appearance:	Off-white, thin liquid
	Solids Type:	Acrylic
	Brookfield Viscosity (cps):	100 - 500
	Spindle Number:	2
	RPM:	60
	EZ Cup Viscosity (sec):	25 - 35
	Cup Number:	2
	pH:	8.2 - 9.2
	Specific Gravity (g/cm <sup>3</sup> ):	0.98 - 1.00

.....

**SITE OF MANUFACTURE** Belgium, Singapore

.....  
**APPLICATION DATA** VaporCoat<sup>®</sup> 2200 is best applied by rod coater at a rate of 4-7 wet pounds per MSF and as a pre-applied coating or in-line at the wet end of the corrugator or by blade at the dry end of the corrugator.

# Technical Data Sheet

## VaporCoat® 2200

**PRODUCT CODE** VAPCT2200.E

**FOOD CONTACT INFORMATION** SITE OF MANUFACTURE  
Aubange, Belgium

EUROPE:	MEETS:
Euro. Res. AP(2004)1	Y*
Commission Regulation (EU) n° 10/2011	++

GERMANY:	MEETS:
BfR Recommendation XIV	Y*
BfR Recommendation XXXVI	Y*

**FDA Status**

SECTION:	MEETS:	TITLES:
175.105	Y	Components of adhesives.
175.300	N	Resinous and polymeric components of coatings.
175.320	N	Resinous and polymeric components of coatings for polyolefin films.
176.170	Y*	Components of paper and paperboard in contact with aqueous and fatty foods.
176.180	Y*	Components of paper and paperboard in contact with dry foods.

\*Restrictions: Please request Food Contact Data Sheet, or contact your sales representative for more details on specific restrictions.

++May meet requirements for this application, please request Food Contact Data Sheet.

**PRODUCT CODE** VAPCT2200.S

**FOOD CONTACT INFORMATION** SITE OF MANUFACTURE  
Singapore

EUROPE:	MEETS:
Euro. Res. AP(2004)1	N
Commission Regulation (EU) n° 10/2011	N

GERMANY:	MEETS:
BfR Recommendation XIV	TBD
BfR Recommendation XXXVI	TBD

**FDA Status**

SECTION:	MEETS:	TITLES:
175.105	Y	Components of adhesives.
175.300	N	Resinous and polymeric components of coatings.
175.320	N	Resinous and polymeric components of coatings for polyolefin films.
176.170	Y*	Components of paper and paperboard in contact with aqueous and fatty foods.
176.180	Y*	Components of paper and paperboard in contact with dry foods.

\*Restrictions: Please request Food Contact Data Sheet, or contact your sales representative for more details on specific restrictions.

++May meet requirements for this application, please request Food Contact Data Sheet.

Technical Data Sheet  
■ VaporCoat<sup>®</sup> 2200

---

.....  
Revised 6/7/2006

---

<b>Michelman, Inc.</b>	9080 Shell Road, Cincinnati, Ohio 45236-1299 USA Tel: +1 513 793 7766 Fax: +1 513 793 2504
<b>Michelman SARL</b>	89D Rue Pafebruch, L - 8308 Capellen Grand-Duché de Luxembourg Tel: +352 26 39 44 1 Fax: +352 26 39 44 80
<b>Michelman Asia-Pacific Pte. Ltd.</b>	2A Tuas Avenue 12, Singapore 639023 Tel: +65 6861 2822 Fax: +65 6861 2262
<b>China Inquiries: Michelman Asia, Inc.</b>	Office 3042, Central Place, No. 16 Henan Road South, Shanghai, China 200002 Tel: +86 21 6120 4404 Fax: +86 21 6374 3778

---

The facts stated and the recommendations contained herein are based on our own research and the research of others, and are believed to be accurate. However, no guarantee of their accuracy is made because we cannot cover every possible application for our products nor anticipate every variation encountered in manufacturing equipment and methods. For the same reason, the products discussed are sold without warranty, express or implied and on the condition that purchasers shall make their own tests to determine the suitability of such products for their particular purposes. Seller shall not be liable for any injury, loss or damage, direct or consequential arising out of the use of or the inability to use the product. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent and our products are sold without warranty of non-infringement. © 2011 MICHELMAN, INC. All rights reserved.

All marks contained herein are registered or owned by Michelman, Inc.  
Michelman is ISO 9000 certified.

---